### VALVE ELECTRONIC

# CV495

## MINISTRY OF SUPPLY D.L.R.D.(A) /R.A.E.

| Specification MOSA/CV.495 Issue 3 Dated 22.5.1953 To be read in conjunction with K.1001 | Specification Valve UNCLASSIFIED UNCLASSIFIE |  |  |  |  |  |
|---|--|--|--|--|--|--|
| Indicates a change  |  |  |  |  |  |  |

|   | TYPE OF VALVE - Electrometer Triode                    | MARKING |  |   |
|---|--|---------|--|---|
|   | CATHODE - Directly Heated                              |         | See K.1001/4, except that<br>the valve shall be marked |   |
|   | ENVELOPE - Glass                                       |         | with CV No., Date Code and<br>Factory Code only.       | 4 |
|   | PROTOTYPE - VX.8049                                    |         | ractory code only.                                     |   |
|   | <u> PATING</u>   | BASE    |  |   |
|   |  | Note    | See Drawing on Page 3                                  |   |
|   | Heater Voltage (V) 1.25 Heater Current (mA) 13         |         | CONNECTIONS AND DIMENSIONS                             |   |
|   | Max. Anode Voltage (V) 25  Max. Anode Current (μA) 250 |         | See Drawing on Page 3                                  |   |
|   | Mutual Conductance (μΑ/V) 80 2.2                       | A       |  |   |
|   | Max. Negative Grid Current (A) 12.5<br>x10-14          | A       |  |   |
| ı | ·  | 1       |  |   |

#### NOTES

- A. Measured at Va = 9V; Ia = 100 μa.
- B. Anode Voltage must be applied after the heater voltage to avoid excessive drift.
- C. Do not finger glass envelope within 1/2" of leads, and wires are not to be soldered nearer than 1/2" to the base to avoid contamination of the glass.

# CV495

TESTS

To be performed in addition to those applicable in K1001


|               |       |          | ·        |           | Limits         |       | No.              | Note         |      |
|---------------|-------|----------|----------|-----------|----------------|-------|------------------|--------------|------|
|               | Те    | st Condi | ions     | Tes       | Test           |       | Mex.             | Tested       | MOLE |
| Mirror Danson | Vh    | Va       | Ia(µa)   |           |                |       |                  | 7.007        |      |
| a             | 1.25  | -        | -        | Ih        | (mA)           | 11.5  | 14.5             | 100%<br>or S |      |
| ъ             | 1.25  | 9        | 100      | Vg        | (v)            | - 2.0 | - 3.75           | 100%         |      |
| C             | 1. 25 | 9        | 100      | gra.      | μ <b>Δ</b> /∇• | 70    | 90               | 100%         | 1    |
| đ             | 1. 25 | 9        | 100      | Ig        | (A)            | -     | 12, 5 x<br>10-14 | 100%         | 2    |
| •             | 1.25  | 9        | 20       | Ig        | <b>(A)</b>     | -     | 6 x<br>10-14     | 100%         | 2    |
| £             | 1.25  | 9        | Variable | Vg Crosso | ver (V)        | -     | -1.6             | 5%           |      |
| g             | 1.25  | 9        | 100      | μ         | -              | 1.7   | 2.7              | 100%<br>or S | 1    |

### NOTES

 Measured by increasing the bias by 0.5 volt Negative from the value obtained in Clause (b).

In clause "g", Va is adjusted to maintain constant Ia.

 Measurements should be made in an electrostatically shielded, lighttight container.



VIEW OF UNDERSIDE OF BASE