ELECTRONIC VALVE SPECIFICATIONS

SPECIFICATION AD/CV 4108 ISSUE 1. DATED 1.10.1962

AMENDMENT No. 2.

(i) Page 4. 4.9.6.3. Glass Strain

Following '2.5' in the column headed 'AQL' (% Defective)' insert 'Note 26'.

(ii) Page 7. Insert new Note 26 as follows:-

"26. In the case of valves with gold plated pins the AQL (% Defective) shall be 6.5."

T.V.C. for A.S.W.E.

July 1964

ELECTRONIC VALVE SPECIFICATIONS

SPECIFICATION AD/CV4108 ISSUE NO. 1 DATED 1.10.1962

AMENDMENT NO. 3

Page A. DIMENSIONS

- (i) 'A' Seated height, Max. Amend '55.6' to read '49.2'
- (ii) 'C' Overall length, Max. Amend '62.7' to read '55.6'

T.V.C. for A.S.W.E.

October, 1964 (N.228881)

ADMIRALTY SURFACE WEAPONS ESTABLISHMENT

| Specification AD/CV4108 incorporating MII/1301B/NAVY | SEC | URITY |
|--|-------------------------------|-------|
| Issue 1 dated 1.10.1962 To be read in conjunction with | Specification Unclassified | |
| K1006 and BS448 | | |

| TYPE OF VALVE: Medium Mu Double Triode CATHODE: Indirectly heated ENVELOPE: Glass PROTOTYPE: 7508 E.I.A. DESIGNATION: RATING (All limiting values are absolution) | S A | MARKING ee K1001/4 dditional mark BASE BS.448/B9A CONNECTIONS | ing 7308 | | | |
|---|---|---|---------------------|--|--|-----------------------------|
| (ALL LIMITING VALUES are absort | | Note - | PIN | ELECT | RODE | İ |
| Max. Anode Voltage (V) Max. "No load" Anode Voltage (V) Max. Anode Dissipation (W) Max. Heater-Cathode Voltage (V) Max. Negative Grid | 6.3 •335 0 0 65 + 70 -135 | A A A B B | A. Seate B. Diam | Anode" Grid" Cathode" Heater Heater Anode' Grid' Cathode' Int.Shield DIMENSIONS ons (min.) ed Height eter all length | an gn kn h h a' g' k' | MAX 55.6 22.2 62.7 |
| CAPACITANCES (NOM.) C ag (pF) 1.4 C in (pF) 3.3 C out' (pF) 1.8 C out" (pF) 1.7 C g' to g" (max.) (pF) .00 C a' to a" (max.) (pF) .00 | 3 3 7 08 | A.C. G. C. C. C. | | MOUNTING POSIT | <u>rion</u> | |

NOTES

- A. Per section.
- B. At Va(b) = 100V; Vg(b) = +9V; Rk=680 ohm
- C. Without external shield
- D. The Joint Services Catalogue Number is:- 5960-99-037-2502

MILITARY SPECIFICATION SHEET

ELECTRON TUBE, TYPE 7308.

The requirements and tests of the latest issue of Specification MIL-E-1 shall apply, except as otherwise required herein.

| | _ | | | • | | | | |
|----------------------|---------|-----------|--------|-----------|------|-----------|----------|--------|
| Description: | Twin | Triode, | Medium | Mu | | | | |
| Ratings: | | Rf | Ebb | Eb | Ecc | Ec | Ehk | Rk/k |
| | | . A | Vdc | Vđo | Vdc | Vdc | v | ohms |
| Absolute | | | | | | | | |
| Maximum: | | 6.6 | | 250 | | | 70 | |
| Minimum: | | 6.0 | | | | -110 | -135 | |
| Test Cond: | | 6.3 | 100 | Approx.90 | + 9 | | | 680 |
| Ratings: | | Rg/g | Ik/k | Io/g | Pp/p | T envelor | e Alt | |
| 43 | | Meg | mAdo | mAdo | W | °C | ft. | |
| Absolute Maximum: | | 0.5 | | | _ | _ | | |
| MAXIMUM: | | 0.5 | 22 | | 1.65 | 165 | 60,000 | |
| Minimum: | | | | | | | | |
| Test Cond: | | | | <u></u> | | | | |
| | | Note 1 | | | | | | |
| Cathode: Coat | ed uni | potentia. | 1 | | | Diameter: | 7/8 inc | h may |
| Base: Mini | ature : | Button, | 9 pin, | | | Height: | 2-3/16 | in may |
| Pin No: 1 | 2 | | | 6 7 8 | 9 | Envelope: | T-6-1/2 | wav. |
| Element: 2p | 2g | 2k 1 | | lp lg lk | - | | _ 3 1/ 2 | |

For the purposes of acceptance inspection, use applicable reliable paragraphs of Specification MIL-E-1.

| | | | AQL % | Insp. Level | Sym. | | I | imits | (See | Note | 3) | |
|-----------------|---|---------------------------------------|----------------|----------------|------|------|---------|-------|------|------|-----|-------|
| Ref. | Test | Conditions | Defec- tive | or Code | Ju. | Min. | LAL | Bogie | UAL | Max. | ALD | Units |
| 3.1 | General Qualifi- cation | Required Note 22 | | | | | | | | | | |
| 3.6 | Perform- | | | | | | | | | | | |
| 3.7 | Marking | Note 21 | | | | | | | | | | |
| | Qualifi- cation Tests (see Note 17) | | | | | | | | | | | |
| | Cathode | Coated unipot- ential | | | | | | | | | | |
| 3.4.3 | Base connec- tions | Outline E9-1 | | | | | | | | | | |
| 4.9.19.9 | Vibration: | Rp=2,000 Ck=1,000 uf Note 16 | | | Ер | | | | | 100 | | mVac |

| Ref | Test | Conditions | AQL (% | Insp | | - | Limi | ts Not | te 4 | | | Units |
|------------|--|---|---------------|---------------------|------------|-------------|--------------|--------|-------|-------|-----------|----------------|
| | 1650 | Condi Cions | Defec tive | Level or Code | 501 | Min | LAL | Bogie | UAL | Max | ALD | |
| | Mangumement | s acceptanc | 0 +00+ | | + 1 | Note 3 | | | | | | - |
| 4.10.8 | Heater Current | s acceptanc | - 1051 | - par | If | 1000 | 320 | 335 | 350 | - | 28 | mA |
| 4.10.8 | Heater Current | | 0.65 | ΙΪ | If | 3 05 | _ | - | 1 | 365 | - | mA |
| 4.10.15 | Heater- Cathode | Ehk= +100 Vdc. | 0.65 | II | (Ihk | - | - | - | • | 10 | - | µAdc. |
| | Leaka <i>g</i> e | Ehk= -100 Vdc. Note 2 | | • | (Ihk | - | - | - | 1 | 10 | - | µAdc. |
| 4.10.6.1 | +Grid Current(1) | | 0.65 | II | Ic | 0 | - | - | ٠_ | - 0.1 | - | uAdc |
| 4.10.4.1 | Plate Current(1) | Ebb= 90Vdc Ecc= 0 Rk =80 Note 2 | - | - | Ιъ | _ | 13•3 | 15.0 | 16.7 | - | 5•4 | mAdo |
| 4.10.4.1 | Plate Current(1) | Ebb= 90Vdc Ecc= 0 Rk= 80 Note 2 | 0.65 | 11 | Ιb | 11.3 | _ | - | - | 18.7 | <u>-</u> | mAdc |
| 4. 10.4. 1 | Plate Current(2) | RK/K=6805 Ec=-15Vdc Eb=150V Note 2 | hn! 0.65 | II | Ιb | - | - | - | - | 5 | - | μAdc |
| 4.10.9 | Transcon- ductance(1) | Note 2 | - | - | Sm | - | 11700 | 12500 | 13300 | - | · 2500 | mpos |
| 4.10.9 | Transcon- ductance(1) | Note 2 | 0.65 | 11 | San | 10400 | - | - | - | 14600 | - | mhosسر |
| 4•7•5• | Continuity and Shorts (Inoper- tives) | | 0.4 | II | - | - | - | - | - | - | - | - |
| 4.9.1. | Mechanical | Envelope Outline No (6-7) | - | - | - | - | - | - | - | - | - | _ |
| 4.8 | AT I | acceptance Note 2 g-all= 10 meg. | 2.5 | | (R. | 10 0 | - | - | - | - | - | Meg. |
| | | p-all in series. | | | (R. | 100 | - | - | | - | - | Meg. |
| | Transcon- ductance(2) | Ef=5.7Vac. Note 2 | 2.5 | I | Sm: Ef. | - | - | - | - | 15 | - | \$ |

CV4108

| Ref: | Test | Conditions | AQL (% | Insp. Level | 1 | | Limit | s, Not | ;e 4 | | | -Unit s |
|------------------|--|--|----------------|----------------|--|-------|-------|----------------|-----------|----------------------------------|-----|----------------------------------|
| | | | Defec tive) | | S ym, | Min. | LAL | B ogi e | UAL | Max. | ALD | onics |
| 4.10.11.2 | Amplifica- tion Factor | | 6.5 | 1 | Mu | 26.5 | | | | 39.5 | | |
| 4.10.6.1 | Grid Current(2) | Notes 2 and 15 | 2.5 | 1 | Ig | 0 | | | | -0.5 | | µAdc |
| 4.10. 3.1 | R.F. Noise | Ecal=30 mV Notes 16 and 18 | 2.5 | 1 | | | | | | | | |
| 4.10.3. 4 | Noise and Micro- phonics. This test may be carried out on alternative approved test gear to that called up in Note 20. | mVac: | 2.5 | 1 | | | | | | | | |
| 4.10.14 | Capacitance No Shield | Note 2 Note 2 Sect.1 Sect.2 | 6.5 | Code E | Cept Cin: Cout: Cout: Ceg Cpp | 1.5 | | | | 1.6 3.9 2.0 1.9 .008 | | pf pf pf pf pf pf |
| 4.9.12.1 | Low Pressure Voltage Breakdown: | Pressure = 55+ 5 mmHg: Voltage= 300 Vac | 6.5 | Note 19 | | | | | | | | |
| 4.9.19.1 | Vibration (2): | Rp=2,000 Ck=1,000 Note 16 | 6.5 | Code 1 | Ep: | | | | - | 50 | | mVac |
| | | Degradation R | ate A | cepte | nce ! | Cests | Note | 6 | | | | |
| 4.9.20.5 | Shock | Hammer Angle = 30° Ehk = +100Vdc: Note 5: | | | | | | | | | | |
| 4.9.20. 6 | Fatigue | G=2.5 Fixed Fre- quency 50 c.p.s. | 6.5 | Note 19 | | | | | | | | |
| | Post Shock and Fatigue Test End Points | Vibration (2) Heater Cathode Leakage | | | Ep: | | | | | 75 | | mVac |
| | | Ehk=+100 Ehk=-100 | | | Ihk: Ihk: | | | | | 15 15 | | pAdc pAdc |

Page 3 of 7

| Ref. | Test | Test Conditions | AQL (% | AQL Insp. | | Limits Note 4 | | | | | | |
|---------|-----------------------------------|------------------------------|-----------|------------|------|---------------|-----|---------|-----|--------|-----|-------|
| | | | Defect- | or Code | Sym. | Min. | LAL | Bogie | UAL | Nax. | ALD | |
| | | Trans- conductance (1) | | | Sm: | 9,000 | | | | 16,500 | | pmhos |
| | | Grid Current (1) | | | Ic: | 0 | | | | -0.2 | | µAdc |
| 4.9.6.1 | Miniature Tube Base Strain: | | | | | | | | | | | |
| 4.9.6.3 | Glass Strain | | 2.5 | I | | | | | | | | |

| | | | AQL (% | Insp. Level | Allo | wable ives per | | Limit | ts | Units |
|-----------------|--|---|-----------------|----------------|---------|-------------------|--------------|-------|-----|--------------|
| Ref. | Test | Conditions | Defec- tive) | or | charact | combined samples | Sym. | Min | Max | |
| | Acceptance Life | l'ests. Note | 6 | • | | | | | | |
| 4.11.7 | Heater-Cycling Life Test: | Ef=7.5V:Enk= +100V dc Ec=Eb=0; 1 min on, 4 min. off Note 7 | | | | | | | | |
| 4.11.4. | Heater Cycling Life Test End Points | Heater-Cath- ode Leakage Ehk=+100V dc Ehk=-100V dc | | | | | Ihk: Ihk: | | | uAdc uAdo |
| 4.11.3.1 (a) | Stability Life Test: | Ehk=+135V dc Rg=47,000 TA=Room Notes 2 and 8 | 1.0 | Code | | | | | | |
| 4.11.4 | Stability Life Test End Points (2 and 20 hours) | Change in Transconduct- ance (1) of individual tubes | | | | | ∆Sm: t | | 10 | % |
| 4.11.3.1 (b) | Survival Rate Life Tests | Stability Life Test Conditions or Equivalent; Notes 2, 9 and 10 | | II | | | | | | |
| 4.11.4 | Survival Rate Life Test End Points | Continuity and Shorts (Inoper- atives) | 0.65 | | | | - | | | • |
| | (100 hours) | Transconduct- ance (1) | 1.0 | | | | Sm: | 9000 | | umhos |

| Ref. | Test | Conditions | AQL (% Defec- | Insp. | derectin charact | able es per eristic | Sym. | İ | nits | Units |
|----------------|--|---|---------------------|-------|---------------------|---------------------------|----------------|----------|----------|--------------|
| | | · | tive) | Code | 1st sample | Comb- ined samples | : | Min. | Max. | |
| | Acc | eptance Life Tests | Note 6 | (Cont | <u>a)</u> . | | | | | |
| 4.11.3.1 | Inter- mittent Life Test | Stability Life Test Conditions: T Bulb=165°C Min. Notes 2, 11 and 12 | | | | | | | | |
| 4.11.4 | Inter- | Note 13 Inoperatives | | | 1 | 3 | | | | |
| | Life Test End Points: 500 hours) | (Note 14) Grid Current | | | 1 | 3 | Ic: | 0 | -0.9 | рАдо |
| | | Heater Current Change in Trans- conductance (1) of individual | | | 1 | 3 | If: | 305 | 365 | mA |
| | | tubes | | | 1 | 3 | ∆Sm: | | 15 | % |
| 4-11-4 | | Transconductance (2) Heater Cathode | | | 2 | 5 | ΔSm: Ex | | 15 | % |
| | | Leakage Ehk=+100Vdc Ehk=-100Vdc | | | 1 | 3 | (lhk: (lhk: | | 20 20 | pådo |
| | | Insulation of Electrodes g-all | | 1 | | | (R: | 50 | | Meg |
| | | p-all Transconductance | | | 2 | 5 | (R: | | | Meg |
| | | (1) average change | | | | | Avg ASm | | 15 | % |
| | | Total Defectives | | | 4 | 8 | t | | | |
| 4 .11.4 | Inter- mittent Life Test | Note 13 Inoperatives: Note 14 | | | 2 | 5 | | | | |
| | End Points: (1000 hrs.) | (1) | | | 2 | 5 | Ic: | | -0.9 | μAđo |
| | | Heater Current Change in Transconductance (1) of individual | | | 2 | 5 | IF: | 305 | 365 | mA. |
| 4-11-4 | | tubes Heater Cathode | | | 2 | 5 | ∇Şm | | 25 | % |
| | | Leakage Ehk=+100V dd Ehk=-100V dc | | | 2 | 5 | (Ihk (Ihk | | 20 20 | pAdo pAdo |
| | | Insulation of Electrodes g-all p-all | | | 3 | 6 | (R: (R: | 50 50 | | Meg Neg |
| | | Total Defectives | | | 5 | 10 | | | | |
| 4.9.18.1 | .1 Container Drop: | Notes 23 and 24 | | | | | | | , | |
| 5.1 | Preparation for | Note 25 | | | | | , | | | |
| | delivery | | Page 5 | | | | | | 730 | |

- Note 1: This value is for operation under fixed bias conditions. With cathode bias. Rg may be 1 megohm maximum.
- Note 2: Test each unit separately.
- Note 3: The AQL for the combined defectives for attributes in measurements acceptance tests, part 1, excluding inoperatives and mechanical shall be 1.0 per cent. A tube having one or more defects shall be counted as one defective. Standard MIL-STD-105, inspection level II shall apply.
- Note 4: Variable sampling procedures: (See 4.1.1.7).
- Note 5: A grid resistor of 0.1 megohm shall be added; however, this resistor will not be used when a thyratron type short indicator is employed.
- Note 6: Destructive tests: Tubes subjected to the following destructive tests are not to be accepted under this specification:

| 4.9.20.5 | Shock |
|----------|--------------------------|
| 4.9.20.6 | Fatigue |
| 4.11.7 | Heater-Cycling Life Test |
| 4.11.5 | Intermittent Life Test |

- Note 7: The no load to steady full load regulation of the heater voltage supply shall be not more than 3.0 per cent. This test shall be made on a lot by lot basis. A failure or defect shall consist of an open heater, open cathode circuit, heater cathode short, or heater cathode leakage current in excess of the heater cycling life test end point limit specified herein.
- Note 8: The sampling and testing procedure for the Stability life test shall be in accordance with paragraph 20.2.5.1 of Appendix C of Specification MIL-E-1.
- Note 9: The sampling and testing procedure for the Survival rate life test shall be in accordance with paragraphs 20.2.5.2 through 20.2.5.2.4 of Appendix C of Specification MIL-E-1.
- Note 10: The equivalent stability life test conditions for Survival rate life test shall be in accordance with paragraph 20.2.5.2.5 of Appendix C of Specification MIL-E-1.
- Note 11: Sampling and acceptance procedures for Intermittent life tests shall be in accordance with paragraph 20.2.5.3 of Appendix C of Specification MIL-E-1.
- Note 12: Envelope temperature is defined as the highest temperature indicated when using a thermocouple of + 40BS or smaller diameter elements welded to a ring of 0.025 inch diameter phosphor bronze in contact with the envelope. Envelope temperature requirements will be satisfied if tube, having bogie 1b (+ 5%) under normal test conditions, is determined to operate at minimum specified temperature at any point in the life test rack.
- Note 13: For order for evaluation of life test defects, see paragraph 4.11.3.1.2 of Specification MIL-E-1.
- Note 14: An inoperative as referenced in life test is defined as a tube having one or more of the following defects: discontinuity (ref. Specification MIL-E-1 par. 4.7.1), shorts (ref. Specification MIL-E-1, par. 4.7.2), air leaks (ref. Specification MIL-E-1, par. 4.7.6).
- Note 15: Prior to this test, tubes shall be preheated a minimum of 5 minutes with all sections operating at the conditions indicated below.

 A 3 minute test is not permitted. Test at preheat conditions within 3 seconds after preheating. Grid current (2) shall be the last test performed on the sample selected for the grid current (2) test.

| E f | Ecc | Ebb | Rk | Rg |
|------------|------|-------|-------|---------|
| V | Vdc | Vdc | ohms | Meg |
| (7.0) | (+9) | (100) | (680) | (0,047) |

- Note 16: Tie 1k to 2k; 1g to 2g and 1p to 2p. Parasitic suppressors of 50 ohms permitted.
- Note 17: All tests listed hereon shall be performed during qualification: however, these three tests are normally performed for qualification inspection only.
- Note 18: In addition to the rejection criteria of paragraph 4.10.3.1 of Specification MIL-E-1, the output shall be read on a VU meter using a rejection limit of 5 VU. Five VU is the meter deflection obtained with a steady state output of 3 Mw from the amplifier.
- Note 19: This test shall be conducted on the initial lot and thereafter on a lot approximately every 30 days. Once a lot has passed, the 30-day rule shall apply. In the event of lot failure the lot shall be rejected and the succeeding lots shall be subjected to this test until a lot passes. Standard MIL-STD-105, sample size code letter F, shall apply.
- Note 20: The rejection level shall be set at the VU meter reading obtained during calibration. Test gear other than the VU meter may be used if approved by the Specification Authorities.
- Note 21: Omitted.
- Note 22: Omitted.
- Note 23: Not required during qualification of tube.
- Note 24: Rough handling (container drop) test (d) and container size B shall apply.
- Note 25: Preservation, packaging and packing unless otherwise specified in the contract or order, preservation, packaging and packing shall be as follows:-
 - (a) Preservation and packaging shall be sufficient to afford adequate protection against corrosion and deterioration during shipment from the supply source to the using activity and until installation.
 - (b) Packing shall be accomplished in a manner which will insure acceptance and protection against physical or mechanical damage during direct shipment from the supply source to the using activity.