








T.			$U_f$	$I_f$	$U_a$	$U_{g2}$	$U_{g1}$	$I_a$	$I_{g2}$	S	$R_i$	$R_k$	$U_{g1}$	$I_a(diod.)$	$P_a$				
															V	A	V	V	mA
5 AM 8 6 AM 8 6 AM 8-A	amer	1	4,7	0,6	200	150		11,5	2,7	7	0,6	120	-8	5	2,8	0,5			
																	300	200	maximum
																	300	200	maximum
5 AS 8 6 AS 8	amer	2	4,7	0,6	200	150		9,5	3	6,2	0,3	180	-8	5	2,5	0,5			
																	300	300	maximum
6 BY 8	amer	3	6,3	0,6	100	100		5	2,1	3,9	0,5	150	-4,2	5	3	0,65			
																	250	150	1
6 SV 7	amer	4	6,3	0,3	100	100	-1	3,7	1,4	2,6	0,7			10					
																	250	150	-1



T.	$C_{g1/k}$		$C_{aD/k}$		$C_{g1/a}$		$C_{aD/k}$		$C_{g1/aD}$		$C_{aP/kD}$	
	pF		pF		pF		pF		pF		pF	
6AM8	6	2,6	1,7	0,015	0,006	0,15	0,1	vide * 5	vide * 6	0,035	0,1	
6AS8	6	3,4	2,3	0,015	0,005	0,15	0,035					
6BY8	7	2,2	3	0,04	0,005	0,15	0,1					
	5,5	5	4,8	0,0035								

