






T.			$U_f$	$I_f$	$U_{a1}$	$U_{a2}$	$U_{a3}$	$U_g$		
			V	A	V	V	V	V	„	mm
AW 61-88	Val	1	6,3	0,3	$\begin{cases} 300 \\ 400 \end{cases}$	$\begin{cases} 16000 \\ 18000 \end{cases}$	$0 \div 400$	$-30 \div -95$ maximum	24	610
24 AEP 4	RCA	1	6,3	0,6	$\begin{cases} 300 \\ 400 \\ 500 \end{cases}$	$\begin{cases} 16000 \\ 18000 \\ 20000 \end{cases}$	$\begin{cases} -50 \div +350 \\ -50 \div +350 \\ -500 \div +1000 \end{cases}$	$\begin{cases} -28 \div -72 \\ -36 \div -94 \\ 0 \div -140 \end{cases}$	$22\frac{11}{16}$ maximum	576,3
24 AHP 4	amer	2	6,3	0,6	$\begin{cases} 300 \\ 400 \\ 500 \end{cases}$	$\begin{cases} 16000 \\ 18000 \\ 20000 \end{cases}$	$\begin{cases} -50 \div +350 \\ -50 \div +350 \\ -500 \div +1000 \end{cases}$	$\begin{cases} -28 \div -72 \\ -36 \div -94 \\ 0 \div -140 \end{cases}$	$22\frac{13}{16}$ maximum	579
24 AUP 4	RCA	1	6,3	0,6	$\begin{cases} 300 \\ 500 \end{cases}$	$\begin{cases} 18000 \\ 20000 \end{cases}$	$\begin{cases} -75 \div +400 \\ -500 \div +1000 \end{cases}$	$\begin{cases} -35 \div -72 \\ 0 \div -140 \end{cases}$	$22\frac{13}{16}$ maximum	579
24 DP 4	amer	1	6,3	0,6	$\begin{cases} 300 \\ 500 \end{cases}$	$\begin{cases} 16000 \\ 20000 \end{cases}$	$\begin{cases} -64 \div +350 \\ -72 \div +400 \end{cases}$	$\begin{cases} -28 \div -72 \\ -33 \div -77 \end{cases}$	$22\frac{9}{16}$	573,1
24 DP 4 A	amer	1	6,3	0,6	$\begin{cases} 300 \\ 500 \end{cases}$	$\begin{cases} 16000 \\ 20000 \end{cases}$	$\begin{cases} -64 \div +350 \\ -72 \div +400 \end{cases}$	$\begin{cases} -28 \div -72 \\ -33 \div -77 \end{cases}$	$22\frac{9}{16}$	573,1
24 YP 4	amer	1	6,3	0,6	$\begin{cases} 300 \\ 500 \end{cases}$	$\begin{cases} 16000 \\ 20000 \end{cases}$	$\begin{cases} -64 \div +350 \\ -72 \div +400 \\ -500 \div +1000 \end{cases}$	$\begin{cases} -28 \div -72 \\ -33 \div -77 \\ 0 \div -125 \end{cases}$	maximum	
24 ZP 4	amer	1	6,3	0,6	$\begin{cases} 300 \\ 500 \end{cases}$	$\begin{cases} 16000 \\ 20000 \end{cases}$	$0 \div 500$	$-50$ maximum	$22\frac{9}{16}$	573,1
27 AP 4	amer	1	6,3	0,6	$\begin{cases} 300 \\ 500 \end{cases}$	$\begin{cases} 16000 \\ 18000 \end{cases}$	$-60 \div +300$	$-33 \div -77$ maximum	$25\frac{1}{16}$	636,6
27 SP 4	amer	1	6,3	0,6	$\begin{cases} 300 \\ 500 \end{cases}$	$\begin{cases} 18000 \\ 20000 \end{cases}$	$-72 \div -396$	$-50$ maximum	$26\frac{13}{16}$	681
27 UP 4	amer	1	6,3	0,6	$\begin{cases} 300 \\ 500 \end{cases}$	$\begin{cases} 16000 \\ 20000 \end{cases}$	$0 \div 396$	$-50$ maximum	$26\frac{13}{16}$	681

T.	Fig.	A	B	C	D	E	F	G
		mm	mm	mm	mm	mm	mm	mm
24 AEP 4	1	576	427	544	579	351	144	38
24 AHP 4	1	579	428	544	579	269	141	29
24 AUP 4	1	579	428	544	579	350	119	38
24 DP 4-A	1	573	425	540	579	356	184	36,5
27 SP 4	1	681	470	609		395	184	36,5
27 UP 4	1	681	470	609		395	184	36,5



AW61-88



24AHP4

Fig.1

